



Product Name / Series	Part Number	Memory	CUDA Cores	Base Clock Boost Clock (MHz)	Memory Interface	Memory Bandwidth (GB/s)	Memory Speed (Gbps)	TDP	Power Input	Size	Maximum Display Support	Output	Warranty
GEFORCE RTX 30 SERIES													
GeForce® RTX™ 3090 24GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan VR READY	VCG309024TFXPPB	24GB GDDR6X	10496	1395 / 1695	384-bit	936	19.5	350 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3090 24GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan VR READY	VCG309024TFXMPPB	24GB GDDR6X	10496	1395 / 1695	384-bit	936	19.5	350 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3080 Ti 12GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan VR READY	VCG3080T12TFXPPB	12GB GDDR6X	10240	1365 / 1665	384-bit	912	19	350 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3080 Ti 12GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan VR READY	VCG3080T12TFXMPPB	12GB GDDR6X	10240	1365 / 1665	384-bit	912	19	350 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan VR READY	VCG308010TFXPPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan LHR VR READY	VCG308010LTFXPPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan VR READY	VCG308010TFXMPPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3080 10GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan LHR VR READY	VCG308010LTFXMPPB	10GB GDDR6X	8704	1440 / 1710	320-bit	760	19	320 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3070 Ti 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan VR READY	VCG3070T8TFXPPB	8GB GDDR6X	6144	1575 / 1770	256-bit	608	19	290 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3070 Ti 8GB XLR8 Gaming UPRISING EPIC-X RGB™ Triple Fan VR READY	VCG3070T8TFXMPPB	8GB GDDR6X	6144	1575 / 1770	256-bit	608	19	290 W	2x8-pin	3-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3070 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan VR READY	VCG30708TFXPPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year



Product Name / Series	Part Number	Memory	CUDA Cores	Base Clock Boost Clock (MHz)	Memory Interface	Memory Bandwidth (GB/s)	Memory Speed (Gbps)	TDP	Power Input	Size	Maximum Display Support	Output	Warranty
GEFORCE RTX 30 SERIES													
GeForce® RTX™ 3070 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan LHR <small>VR READY</small>	VCG30708LTFXPPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	2x8-pin	2.7-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3070 8GB UPRISING Dual Fan <small>VR READY</small>	VCG30708DFMPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	1x12-pin	2.5-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3070 8GB UPRISING Dual Fan LHR <small>VR READY</small>	VCG30708LDFMPB	8GB GDDR6	5888	1500 / 1725	256-bit	448	14	220 W	1x12-pin	2.5-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce® RTX™ 3060 Ti 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan <small>VR READY</small>	VCG3060T8DFXPPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 Ti 8GB XLR8 Gaming REVEL EPIC-X RGB™ Triple Fan LHR <small>VR READY</small>	VCG3060T8LDFXPPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 Ti 8GB UPRISING Dual Fan <small>VR READY</small>	VCG3060T8DFMPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce® RTX™ 3060 Ti 8GB UPRISING Dual Fan LHR <small>VR READY</small>	VCG3060T8LDFMPB	8GB GDDR6	4864	1410 / 1665	256-bit	448	14	200 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4a x3	3 Year
GeForce RTX™ 3060 12GB XLR8 Gaming REVEL EPIC-X RGB™ Dual Fan <small>VR READY</small>	VCG306012DFXPPB	12GB GDDR6	3584	1320 / 1777	192-bit	360	15	170 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce RTX™ 3060 12GB Revel Single Fan <small>VR READY</small>	VCG306012SFXPPB	12GB GDDR6	3584	1320 / 1777	192-bit	360	15	170 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GeForce RTX™ 3060 12GB UPRISING Dual Fan <small>VR READY</small>	VCG306012DFMPB	12GB GDDR6	3584	1320 / 1777	192-bit	360	15	170 W	1x8-pin	Dual-Slot Full Height	4	HDMI 2.1, DisplayPort 1.4 x3	3 Year
GEFORCE GTX SERIES													
GeForce® GTX 1660 Ti Blower Design <small>VR READY</small>	VCG1660T6BLMPB	6GB GDDR6	1536	1500 / 1770	192-bit	228	12	120 W	1x8-pin	Dual-Slot Full Height	3	DVI-D, HDMI 2.0b, DisplayPort 1.4	3 Year
GeForce® GTX 1660 SUPER Blower Design <small>VR READY</small>	VCG16606SBLMPB	6GB GDDR6	1408	1530 / 1785	192-bit	336	14	125 W	1x8-pin	Dual-Slot Full Height	3	DVI-D, HDMI 2.0b, DisplayPort 1.4	3 Year
GeForce® GTX 1660 Blower Design <small>VR READY</small>	VCG16606BLMPB	6GB GDDR5	1408	1530 / 1785	192-bit	192	8	120 W	1x8-pin	Dual-Slot Full Height	3	DVI-D, HDMI 2.0b, DisplayPort 1.4	3 Year



Product Name / Series	Part Number	Memory	CUDA Cores	Base Clock Boost Clock (MHz)	Memory Interface	Memory Bandwidth (GB/s)	Memory Speed (Gbps)	TDP	Power Input	Size	Maximum Display Support	Output	Warranty
GEFORCE GTX SERIES													
GeForce® GTX 1650 SUPER OC Single Fan VR READY	VCG16504SSFPPB-O	4GB GDDR6	1280	1530 / 1725	192-bit	192	12	100 W	1x6-pin	Dual-Slot Full Height	3	DVI-D, HDMI 2.0b, DisplayPort 1.4	3 Year
GeForce® GTX 1650 XLR8 Gaming OC Single Fan	VCG16504SFPPB-O	4GB GDDR5	896	1485 / 1725	128-bit	128	8	75 W	PCI-E	Dual-Slot Full Height	2	HDMI 2.0b, DVID	3 Year
GeForce® GTX1650 Dual Fan	VCG16504D6DFPPB	4GB GDDR6	896	1485 / 1590	128-bit	192	12	75 W	1x6-pin	Dual-Slot Full Height	2	HDMI 2.0b, DisplayPort 1.4	3 Year
GEFORCE GT SERIES													
GeForce® GT 1030	VCGGT10302PB	2GB GDDR5	384	1227 / 1468	64-bit	48	6	30 W	PCI-E	Single-Slot Low Profile	2	DVI-D, HDMI 2.0	3 Year
GeForce® GT 730	VCGGT7302XPB-BB	2GB GDDR3	384	902 / N/A	64-bit	12.8	1.6	23 W	PCI-E	Single-Slot Low Profile	3	DVI-D, VGA, HDMI	3 Year
GeForce® GT 710	VCGGT7102XPB	2GB GDDR3	192	954 / N/A	64-bit	12.8	1.6	19 W	PCI-E	Single-Slot Low Profile	3	DVI-D, VGA, HDMI	3 Year